

Attorney Docket No.: 2003B043A

**Amendments to the Claims:**

The listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (currently amended) A continuous process to produce a branched olefin polymer comprising:  
1) selecting a first catalyst component capable of producing a polymer having a weight average molecular weight of 100,000 or less and a crystallinity of 20% or less under selected polymerization conditions;

2) selecting a second catalyst component capable of producing a polymer having a weight average molecular weight of 100,000 or less and a crystallinity of 20% or more at the selected polymerization conditions;

3) contacting said first catalyst component or said second catalyst component, one or more activators, and one or more C2 to C40 olefins in a first reaction zone, at a temperature of greater than 70°C, and at a residence time of 120 minutes or less; and

4) transferring the contents of the first reaction zone to a second reaction zone and further contacting the contents with said first catalyst component or said second catalyst component, one or more activators, and one or more C2 to C40 olefins, at a temperature of greater than 70°C, and at a residence time of 120 minutes or less; and

5) optionally, transferring the contents of the second reaction zone to a third reaction zone and further contacting the contents with said first catalyst component or said second catalyst component, one or more activators, and one or more C2 to C40 olefins, at a temperature of greater than 70°C, and at a residence time of 120 minutes or less; and

6) recovering a branched olefin polymer comprising at least 50 mole% of one or more C3 to C40 olefins,

wherein the first catalyst component is present in at least one reaction zone and the second catalyst component is present in the second reaction zone or a third reactor zone; ~~and wherein, in at least one reaction zone, the C2 to C40 olefin is a C3 to C40 alpha-olefin; and wherein the second catalyst component is present in at least one of the group consisting of the second reaction zone and the third reaction zone.~~

2. (original) The process of claim 1 wherein the olefin polymer comprises from 50 to 100 mole% of propylene.

3. (original) The process of claim 1 wherein the olefin polymer is homopolypropylene.

BEST AVAILABLE COPY

Attorney Docket No.: 2003B043A

4. (currently amended) The process of claim 1 wherein the first catalyst component comprises a ~~non-stereospecific~~ non-stereospecific metallocene catalyst compound.
5. (original) The process of claim 1 wherein the second catalyst component comprises a stereospecific metallocene catalyst compound.
6. (previously presented) The process of claim 1 wherein propylene is present in the first reaction zone.
7. (previously presented) The process of claim 1 wherein propylene is present in the second reaction zone.
8. (previously presented) The process of claim 1 wherein propylene is present in a third reaction zone.
9. (previously presented) The process of claim 1 wherein ethylene is present in the first reaction zone.
10. (previously presented) The process of claim 1 wherein ethylene is present in the second reaction zone.
11. (previously presented) The process of claim 1 wherein ethylene is present in a third reaction zone.
12. (original) The process of claim 1 wherein propylene and ethylene are present in the first reaction zone.
13. (original) The process of claim 1 wherein propylene and ethylene are present in the second reaction zone.
14. (previously presented) The process of claim 1 wherein propylene is present in the first reaction zone at 100 weight %, based upon the weight of the monomers present.
15. (previously presented) The process of claim 1 wherein propylene is present in the second reaction zone at 100 weight %, based upon the weight of the monomers present.

Attorney Docket No.: 2003B043A

16. (previously presented) The process of claim 1 wherein propylene is present in a third reaction zone at 100 weight %, based upon the weight of the monomers present.

17. (previously presented) The process of claim 1 wherein propylene is present in the first reaction zone at 100 weight %, (based upon the weight of the monomers present in the first reaction zone) and ethylene is present in the second reaction zone at up to 50 weight%, (based upon the weight of the monomers present in the second reaction zone).

18. (previously presented) The process of claim 1 wherein propylene and ethylene are present in the first reaction zone and no ethylene, other than residual ethylene monomer present in the contents of the first reaction zone, is introduced into the second reaction zone.

19. (previously presented) The process of claim 1 wherein ethylene is intermittently introduced into one or more reaction zones.

20. (previously presented) The process of claim 1 wherein ethylene is present in a reaction zone at less than 10 weight%, based upon the weight of the monomers in the reaction zone..

21. (original) The process of claim 1 wherein propylene is present in the first reaction zone, ethylene is present in the second reaction zone, the second catalyst component is present in the first reaction zone, and the first catalyst component is present in the second reaction zone.

22. (original) The process of claim 1 wherein propylene is present in the first reaction zone, propylene and ethylene are present in the second reaction zone, the second catalyst component is present in the first reaction zone, and the first catalyst component is present in the second reaction zone.

23. (original) The process of claim 1 wherein propylene and ethylene are present in the first reaction zone, propylene is present in the second reaction zone, the first catalyst component is present in the first reaction zone, and the second catalyst component is present in the second reaction zone.

24. (original) The process of claim 1 wherein propylene is present in the first reaction zone, propylene and ethylene are present in the second reaction zone, the second catalyst component is present in the first reaction zone, and the second catalyst component is present in the second reaction zone.

Attorney Docket No.: 2003B043A

25. (previously presented) The process of claim 1 wherein ethylene is present in the first reaction zone, propylene is present in the second reaction zone, propylene is present in the third reaction zone, the first catalyst component is present in the second reaction zone, and the second catalyst component is present in the third reaction zone, and the catalyst component present in the first reaction zone is capable of producing polymer having a weight average molecular weight of 20,000 or less and a crystallinity of 10% or less at the selected polymerization conditions.

26. (previously presented) The process of claim 1 wherein

- 1) the first catalyst component comprises a non-sterospecific metallocene catalyst compound;
- 2) the second catalyst component comprises a stereospecific metallocene catalyst compound;
- 3) the first reaction zone is a reactor comprising solvent, monomer, said first catalyst component or said second catalyst component, and activator at a temperature of greater than 70°C; and
- 4) The second reaction zone is a reactor comprising solvent, monomer, said first catalyst component or said second catalyst component, and activator at a temperature of greater than 70°C.

27. (currently amended) The process of claim 1 wherein the first catalyst component capable of producing polymer having a weight average molecular weight of 100,000 or less and a crystallinity of 20% or less is selected from the group ~~consisting~~ consisting of: rac-dimethylsilylbis(4,7-dimethylindenyl) hafnium dichloride, rac-dimethylsilylbis(4,7-dimethylindenyl) hafnium dimethyl, rac-dimethylsilylbis(4,7-dimethylindenyl) zirconium dichloride, rac-dimethylsilylbis(4,7-dimethylindenyl) zirconium dimethyl, rac-dimethylsilylbis(indenyl) hafnium dichloride, rac-dimethylsilylbis(indenyl) hafnium dimethyl, rac-dimethylsilylbis(indenyl) zirconium dichloride, rac-dimethylsilylbis(indenyl) zirconium dimethyl, rac-dimethylsilylbis(tetrahydroindenyl) hafnium dichloride, rac-dimethylsilylbis(tetrahydroindenyl) hafnium dimethyl, rac-dimethylsilylbis(tetrahydroindenyl) zirconium dichloride, rac-dimethylsilylbis(tetrahydroindenyl) zirconium dimethyl, rac-diphenylsilylbis(4,7-dimethylindenyl) hafnium dichloride, rac-diphenylsilylbis(4,7-dimethylindenyl) hafnium dimethyl, rac-diphenylsilylbis(4,7-dimethylindenyl) zirconium dichloride, rac-diphenylsilylbis(4,7-dimethylindenyl) zirconium dimethyl, rac-diphenylsilylbis(indenyl) hafnium dichloride, rac-diphenylsilylbis(indenyl) hafnium dimethyl, rac-diphenylsilylbis(indenyl) zirconium dichloride, rac-diphenylsilylbis(indenyl) zirconium dimethyl, rac-diphenylsilylbis(tetrahydroindenyl) hafnium dichloride, rac-diphenylsilylbis(tetrahydroindenyl) hafnium dimethyl, rac-diphenylsilylbis(tetrahydroindenyl) zirconium dichloride, rac-diphenylsilylbis(tetrahydroindenyl) zirconium dimethyl, rac-methylphenylsilylbis(4,7-

Attorney Docket No.: 2003B043A

dimethylindenyl) hafnium dimethyl, rac-methylphenylsilylbis(4,7-dimethylindenyl) zirconium dichloride, rac-methylphenylsilylbis(4,7-dimethylindenyl) zirconium dimethyl, rac-methylphenylsilylbis(indenyl) hafnium dichloride, rac-methylphenylsilylbis(indenyl) hafnium dimethyl, rac-methylphenylsilylbis(indenyl) zirconium dichloride, rac-methylphenylsilylbis(indenyl) zirconium dimethyl, rac-methylphenylsilylbis(tetrahydroindenyl) hafnium dichloride, rac-methylphenylsilylbis(tetrahydroindenyl) hafnium dimethyl, rac-methylphenylsilylbis(tetrahydroindenyl) zirconium dichloride, rac-methylphenylsilylbis(tetrahydroindenyl) zirconium dimethyl, rac-ethylenebis(4,7-dimethylindenyl) hafnium dichloride, rac-ethylenebis(4,7-dimethylindenyl) hafnium dimethyl, rac-ethylenebis(4,7-dimethylindenyl) zirconium dichloride, rac-ethylenebis(4,7-dimethylindenyl) zirconium dimethyl, rac-ethylenebis(indenyl) hafnium dichloride, rac-ethylenebis(indenyl) hafnium dimethyl, rac-ethylenebis(indenyl) zirconium dichloride, rac-ethylenebis(indenyl) zirconium dimethyl, rac-ethylenebis(tetrahydroindenyl) hafnium dichloride, rac-ethylenebis(tetrahydroindenyl) hafnium dimethyl, rac-ethylenebis(tetrahydroindenyl) zirconium dichloride, and rac-ethylenebis(tetrahydroindenyl) zirconium dimethyl.

28. (original) The process of claim 1 wherein the first catalyst component comprises one or more of

dimethylsilyl(tetramethylcyclopentadienyl)(cyclododecylamido) titanium dichloride, dimethylsilyl(tetramethylcyclopentadienyl)(cyclohexyl-amido) titanium dichloride, dimethylsilyl(tetramethylcyclopentadienyl)(1-adamantylamido) titanium dichloride, dimethylsilyl(tetramethylcyclopentadienyl)(t-butylamido) titanium dichloride, dimethylsilyl(tetramethylcyclopentadienyl)(s-butylamido) titanium dichloride, dimethylsilyl(tetramethylcyclopentadienyl)(n-butylamido) titanium dichloride, dimethylsilyl(tetramethylcyclopentadienyl)(exo-2-norbornylamido) titanium dichloride, diethylsilyl(tetramethylcyclopentadienyl)(cyclododecyl-amido) titanium dichloride, diethylsilyl(tetramethylcyclopentadienyl)(exo-2-norbornylamido) titanium dichloride, diethylsilyl(tetramethylcyclopentadienyl)(cyclohexyl-amido) titanium dichloride, diethylsilyl(tetramethylcyclopentadienyl)(1-adamantylamido) titanium dichloride, methylene(tetramethylcyclopentadienyl)(cyclododecyl-amido) titanium dichloride, methylene(tetramethylcyclopentadienyl)(exo-2-norbornylamido) titanium dichloride, methylene(tetramethylcyclopentadienyl)(cyclohexylamido) titanium dichloride, methylene(tetramethylcyclopentadienyl)(1-adamantylamido) titanium dichloride, dimethylsilyl(tetramethylcyclopentadienyl)(cyclododecylamido) titanium dimethyl, dimethylsilyl(tetramethylcyclopentadienyl)(exo-2-norbornylamido) titanium dimethyl, dimethylsilyl(tetramethylcyclopentadienyl)(cyclohexyl-amido) titanium dimethyl, dimethylsilyl(tetramethylcyclopentadienyl)(1-adamantylamido) titanium dimethyl,

Attorney Docket No.: 2003B043A

dimethylsilyl(2,5-dimethylcyclopentadienyl)(cyclododecylamido) titanium dichloride,  
dimethylsilyl(2,5-dimethylcyclopentadienyl)(exo-2-norbornylamido) titanium dichloride,  
dimethylsilyl(2,5-dimethylcyclopentadienyl)(cyclohexylamido) titanium dichloride,  
dimethylsilyl(2,5-dimethylcyclopentadienyl)(1-adamantylamido) titanium dichloride,  
dimethylsilyl(3,4-dimethylcyclopentadienyl)(cyclododecylamido) titanium dichloride,  
dimethylsilyl(3,4-dimethylcyclopentadienyl)(exo-2-norbornylamido) titanium dichloride,  
dimethylsilyl(3,4-dimethylcyclopentadienyl)(cyclohexylamido) titanium dichloride,  
dimethylsilyl(3,4-dimethylcyclopentadienyl)(1-adamantylamido) titanium dichloride,  
dimethylsilyl(2-ethyl-5-methylcyclopentadienyl)(cyclododecylamido) titanium dichloride,  
dimethylsilyl(2-ethyl-5-methylcyclopentadienyl)(exo-2-norbornylamido) titanium dichloride,  
dimethylsilyl(2-ethyl-5-methylcyclopentadienyl)(cyclohexylamido) titanium dichloride,  
dimethylsilyl(2-ethyl-5-methylcyclopentadienyl)(1-adamantylamido) titanium dichloride,  
dimethylsilyl(3-ethyl-4-methylcyclopentadienyl)(cyclododecylamido) titanium dichloride,  
dimethylsilyl(3-ethyl-4-methylcyclopentadienyl)(exo-2-norbornylamido) titanium dichloride,  
dimethylsilyl(3-ethyl-4-methylcyclopentadienyl)(cyclohexylamido) titanium dichloride,  
dimethylsilyl(3-ethyl-4-methylcyclopentadienyl)(1-adamantylamido) titanium dichloride,  
dimethylsilyl(2-ethyl-3-hexyl-5-methyl-4-octylcyclopentadienyl)(cyclododecylamido) titanium  
dichloride,  
dimethylsilyl(2-ethyl-3-hexyl-5-methyl-4-octylcyclopentadienyl)(exo-2-norbornylamido) titanium  
dichloride,  
dimethylsilyl(2-ethyl-3-hexyl-5-methyl-4-octylcyclopentadienyl)(cyclohexylamido)  
titanium dichloride,  
dimethylsilyl(2-ethyl-3-hexyl-5-methyl-4-octylcyclopentadienyl)(1-adamantylamido) titanium  
dichloride,  
dimethylsilyl(2-tetrahydroindenyl)(cyclododecylamido) titanium dichloride,  
dimethylsilyl(2-tetrahydroindenyl)(cyclohexylamido) titanium dichloride,  
dimethylsilyl(2-tetrahydroindenyl)(1-adamantylamido) titanium dichloride,  
dimethylsilyl(2-tetrahydroindenyl)(exo-2-norbornylamido) titanium dichloride,  
dimethylsilyl(tetramethylcyclopentadienyl)(cyclododecylamido) titanium dimethyl,  
dimethylsilyl(tetramethylcyclopentadienyl)(cyclohexyl-amido) titanium dimethyl,  
dimethylsilyl(tetramethylcyclopentadienyl)(1-adamantylamido) titanium dimethyl,  
dimethylsilyl(tetramethylcyclopentadienyl)(t-butylamido) titanium dimethyl,  
dimethylsilyl(tetramethylcyclopentadienyl)(s-butylamido) titanium dimethyl,  
dimethylsilyl(tetramethylcyclopentadienyl)(n-butylamido) titanium dimethyl,  
dimethylsilyl(tetramethylcyclopentadienyl)(exo-2-norbornylamido) titanium dimethyl,  
diethylsilyl(tetramethylcyclopentadienyl)(cyclododecyl-amido) titanium dimethyl,  
diethylsilyl(tetramethylcyclopentadienyl)(exo-2-norbornylamido) titanium dimethyl,

Attorney Docket No.: 2003B043A

diethylsilyl(tetramethylcyclopentadienyl)(cyclohexyl-amido) titanium dimethyl,  
diethylsilyl(tetramethylcyclopentadienyl)(1-adamantylamido) titanium dimethyl,  
methylene(tetramethylcyclopentadienyl)(cyclododecyl-amido) titanium dimethyl,  
methylene(tetramethylcyclopentadienyl)(exo-2-norbornylamido) titanium dimethyl,  
methylene(tetramethylcyclopentadienyl)(cyclohexylamido) titanium dimethyl,  
methylene(tetramethylcyclopentadienyl)(1-adamantylamido) titanium dimethyl,  
dimethylsilyl(tetramethylcyclopentadienyl)(cyclododecylamido) titanium dimethyl,  
dimethylsilyl(tetramethylcyclopentadienyl)(exo-2-norbornylamido) titanium dimethyl,  
dimethylsilyl(tetramethylcyclopentadienyl)(cyclohexyl-amido) titanium dimethyl,  
dimethylsilyl(tetramethylcyclopentadienyl)(1-adamantylamido) titanium dimethyl,  
dimethylsilyl(2,5-dimethylcyclopentadienyl)(cyclododecylamido) titanium dimethyl,  
dimethylsilyl(2,5-dimethylcyclopentadienyl)(exo-2-norbornylamido) titanium dimethyl,  
dimethylsilyl(2,5-dimethylcyclopentadienyl)(cyclohexylamido) titanium dimethyl,  
dimethylsilyl(2,5-dimethylcyclopentadienyl)(1-adamantylamido) titanium dimethyl,  
dimethylsilyl(3,4-dimethylcyclopentadienyl)(cyclododecylamido) titanium dimethyl,  
dimethylsilyl(3,4-dimethylcyclopentadienyl)(exo-2-norbornylamido) titanium dimethyl,  
dimethylsilyl(3,4-dimethylcyclopentadienyl)(cyclohexylamido) titanium dimethyl,  
dimethylsilyl(3,4-dimethylcyclopentadienyl)(1-adamantylamido) titanium dimethyl,  
dimethylsilyl(2-ethyl-5-methylcyclopentadienyl)(cyclododecylamido) titanium dimethyl,  
dimethylsilyl(2-ethyl-5-methylcyclopentadienyl)(exo-2-norbornylamido) titanium dimethyl,  
dimethylsilyl(2-ethyl-5-methylcyclopentadienyl)(cyclohexylamido) titanium dimethyl,  
dimethylsilyl(2-ethyl-5-methylcyclopentadienyl)(1-adamantylamido) titanium dimethyl,  
dimethylsilyl(3-ethyl-4-methylcyclopentadienyl)(cyclododecylamido) titanium dimethyl,  
dimethylsilyl(3-ethyl-4-methylcyclopentadienyl)(exo-2-norbornylamido) titanium dimethyl,  
dimethylsilyl(3-ethyl-4-methylcyclopentadienyl)(cyclohexylamido) titanium dimethyl,  
dimethylsilyl(3-ethyl-4-methylcyclopentadienyl)(1-adamantylamido) titanium dimethyl,  
dimethylsilyl(2-ethyl-3-hexyl-5-methyl-4-octylcyclopentadienyl)(cyclododecylamido) titanium  
dimethyl,  
dimethylsilyl(2-ethyl-3-hexyl-5-methyl-4-octylcyclopentadienyl)(exo-2-norbornylamido) titanium  
dimethyl,  
dimethylsilyl(2-ethyl-3-hexyl-5-methyl-4-octylcyclopentadienyl)(cyclohexylamido)  
titanium dimethyl,  
dimethylsilyl(2-ethyl-3-hexyl-5-methyl-4-octylcyclopentadienyl)(1-adamantylamido) titanium  
dimethyl,  
dimethylsilyl(2-tetrahydroindenyl)(cyclododecylamido) titanium dimethyl,  
dimethylsilyl(2-tetrahydroindenyl)(cyclohexylamido) titanium dimethyl,  
dimethylsilyl(2-tetrahydroindenyl)(1-adamantylamido) titanium dimethyl, and

dimethylsilyl(2-tetrahydroindenyl)(exo-2-norbornylamido) titanium dimethyl.

29. (original) The process of claim 1 wherein the second catalyst component comprises one or more of the racemic versions of:

dimethylsilyl (2-methyl-4-phenylindenyl) zirconium dichloride,  
dimethylsilyl (2-methyl-4-phenylindenyl) zirconium dimethyl,  
dimethylsilyl (2-methyl-4-phenylindenyl) hafnium dichloride,  
dimethylsilyl (2-methyl-4-phenylindenyl) hafnium dimethyl,  
dimethylsilyl bis(indenyl)hafnium dimethyl,  
dimethylsilyl bis(indenyl)hafnium dichloride,  
dimethylsilyl bis(indenyl)zirconium dimethyl,  
dimethylsilyl bis(indenyl)zirconium dichloride,  
the racemic isomers of:

dimethylsilanediybis(2-methyl)metal dichloride;  
dimethylsilanediybis(indenyl)metal dichloride;  
dimethylsilanediybis(indenyl)metal dimethyl;  
dimethylsilanediybis(tetrahydroindenyl)metal dichloride;  
dimethylsilanediybis(tetrahydroindenyl)metal dimethyl;  
dimethylsilanediybis(indenyl)metal diethyl; and  
dibenzylsilanediybis(indenyl)metal dimethyl;  
wherein the metal can be chosen from Zr, Hf, or Ti.

30. (original) The process of claim 1 wherein the first catalyst component comprises 1, 1'-bis(4-triethylsilylphenyl)methylene-(cyclopentadienyl)(2,7-di-tertiary-butyl-9-fluorenyl)hafnium dimethyl and or 1, 1'-bis(4-triethylsilylphenyl)methylene-(cyclopentadienyl)(3,8-di-tertiary-butyl-fluorenyl)hafnium dimethyl.

31. (previously presented) The process of claim 1 wherein the second catalyst component comprises dimethylsilyl bis(2-methyl-5-phenylindenyl) zirconium dimethyl and/or dimethylsilyl bis(2-methyl-4-phenylindenyl) zirconium dimethyl.

32. (original) The process of claim 1 wherein the activator comprises dimethylaniliniumtetrakis(pentafluorophenyl) borate and or trityl tetrakis(pentafluorophenyl) borate.

33. (original) The process of claim 1 wherein the activator comprises an alumoxane.

34. (original) The process of claim 1 wherein the activator comprises an ionizing compound.



Attorney Docket No.: 2003B043A

35. (original) The process of claim 1 wherein the activator comprises a non-coordinating anion.
36. (original) The process of claim 1 wherein the activator comprises one or more of methylalumoxane, trimethylammonium tetraphenylborate, triethylammonium tetraphenylborate, tripropylammonium tetraphenylborate, tri(n-butyl)ammonium tetraphenylborate, tri(t-butyl)ammonium tetraphenylborate, N,N-dimethylanilinium tetraphenylborate, N,N-diethylanilinium tetraphenylborate, N,N-dimethyl-(2,4,6-trimethylanilinium) tetraphenylborate, trimethylammonium tetrakis(pentafluorophenyl)borate, triethylammonium tetrakis(pentafluorophenyl)borate, tripropylammonium tetrakis(pentafluorophenyl)borate, tri(n-butyl)ammonium tetrakis(pentafluorophenyl)borate, tri(sec-butyl)ammonium tetrakis(pentafluorophenyl) borate, N,N-dimethylanilinium tetrakis(pentafluorophenyl) borate, N,N-diethylanilinium tetrakis(pentafluorophenyl) borate, N,N-dimethyl-(2,4,6-trimethylanilinium) tetrakis(pentafluorophenyl) borate, trimethylammonium tetrakis-(2,3,4,6-tetrafluorophenyl)borate, triethylammonium tetrakis-(2,3,4,6-tetrafluorophenyl) borate, tripropylammonium tetrakis-(2,3,4,6-tetrafluorophenyl) borate, tri(n-butyl)ammonium tetrakis-(2,3,4,6-tetrafluoro-phenyl) borate, dimethyl(t-butyl)ammonium tetrakis-(2,3,4,6-tetrafluorophenyl) borate, N,N-dimethylanilinium tetrakis-(2,3,4,6-tetrafluorophenyl) borate, N,N-diethylanilinium tetrakis-(2,3,4,6-tetrafluorophenyl) borate, and N,N-dimethyl-(2,4,6-trimethylanilinium)tetrakis-(2,3,4,6-tetrafluorophenyl) borate; di-(i-propyl)ammonium tetrakis(pentafluorophenyl) borate; dicyclohexylammonium tetrakis(pentafluorophenyl) borate; triphenylphosphonium tetrakis(pentafluorophenyl) borate; tri(o-tolyl)phosphonium tetrakis(pentafluorophenyl) borate; and tri(2,6-dimethylphenyl)phosphonium tetrakis(pentafluorophenyl) borate.

Attorney Docket No.: 2003B043A

37. (previously presented) The process of claim 1 wherein the first catalyst component is capable of polymerizing macromonomers having reactive termini; and the second catalyst is capable of producing macromonomers having reactive termini.

38. (original) The process of claim 1 wherein one or more reaction zones further comprise diolefin.

39. (original) The process of claim 1 wherein one or more reaction zones further comprise one or more C4 to C40 diones.

40. (original) The process of claim 1 wherein one or more reaction zones further comprise one or more dienes selected from the group consisting of 1,6-heptadiene, 1,7-octadiene, 1,8-nonadiene, 1,9-decadiene, 1,10-undecadiene, 1,11-dodecadiene, 1,12-tridecadiene, 1,13-tetradecadiene, cyclopentadiene, vinylnorbornene, norbornadiene, ethylidene norbornene, divinylbenzene, dicyclopentadiene, polybutadienes having an Mw less than 1000 g/mol, or combinations thereof.

41. (original) The process of claim 1 wherein at least one reaction zone is a gas phase reactor.

42. (original) The process of claim 1 wherein at least one reaction zone is a solution phase reactor.

43. (original) The process of claim 1 wherein at least one reaction zone is a slurry phase reactor.

44. (original) The process of claim 1 wherein all of the reaction zones are a solution phase reactor.

45. (original) The process of claim 1 wherein the first catalyst component, the second catalyst component and the activator comprise one or more of the following combinations (where Me equals methyl, Ph equals phenyl, Et equals ethyl, Cp equals cyclopentadienyl, 3,6-di-t-BuFlu equals 3,8-di-tert-butylfluorenyl, 2-Me-4-PhInd equals 2-methyl-4-phenylindenyl, 2-MeInd means 2-methylindenyl, c-C<sub>12</sub>H<sub>23</sub> equals cyclododecyl, Me<sub>4</sub>C<sub>5</sub> - tetramethylcyclopentadienyl, H<sub>4</sub>Ind equals tetrahydroindenyl, and Ind equals indenyl):

(1) Me<sub>2</sub>Si(Me<sub>4</sub>C<sub>5</sub>)(N-c-C<sub>12</sub>H<sub>23</sub>)TiCl<sub>2</sub> and rac-Me<sub>2</sub>Si(2-Me-4-PhInd)<sub>2</sub>ZrCl<sub>2</sub> activated with an alumoxane;

Attorney Docket No.: 2003B043A

(2)  $\text{Me}_2\text{Si}(\text{Me}_4\text{C}_5)(\text{N-c-C}_{12}\text{H}_{23})\text{TiMe}_2$  and  $\text{rac-Me}_2\text{Si}(2\text{-Me-4-PhInd})_2\text{ZrMe}_2$  activated with a non-coordinating anion activator,

(2a)  $\text{Me}_2\text{Si}(\text{Me}_4\text{C}_5)(\text{N-c-C}_{12}\text{H}_{23})\text{TiMe}_2$  and  $\text{rac-Me}_2\text{Si}(2\text{-Me-4-PhInd})_2\text{ZrMe}_2$  activated with N,N-dimethylanilinium tetrakis(pentafluorophenyl)boron and or triphenylcarbonium tetrakis(pentafluorophenyl)boron;

(3)  $\text{Me}_2\text{Si}(\text{Me}_4\text{C}_5)(\text{N-c-C}_{12}\text{H}_{23})\text{TiCl}_2$  and  $\text{rac-Me}_2\text{Si}(2\text{-MeInd})_2\text{ZrCl}_2$  activated with an alumoxane;

(4)  $\text{Me}_2\text{Si}(\text{Me}_4\text{C}_5)(\text{N-c-C}_{12}\text{H}_{23})\text{TiMe}_2$  and  $\text{rac-Me}_2\text{Si}(2\text{-MeInd})_2\text{ZrMe}_2$  activated with a non-coordinating anion activator;

(4a)  $\text{Me}_2\text{Si}(\text{Me}_4\text{C}_5)(\text{N-c-C}_{12}\text{H}_{23})\text{TiMe}_2$  and  $\text{rac-Me}_2\text{Si}(2\text{-MeInd})_2\text{ZrMe}_2$  activated with N,N-dimethylanilinium tetrakis(pentafluorophenyl)boron and or triphenylcarbonium tetrakis(pentafluorophenyl)boron;

(5)  $\text{Me}_2\text{Si}(\text{Me}_4\text{C}_5)(\text{N-1-adamantyl})\text{TiCl}_2$  and  $\text{rac-Me}_2\text{Si}(2\text{-Me-4-PhInd})_2\text{ZrCl}_2$  activated with an alumoxane;

(6)  $\text{Me}_2\text{Si}(\text{Me}_4\text{C}_5)(\text{N-1-adamantyl})\text{TiMe}_2$  and  $\text{rac-Me}_2\text{Si}(2\text{-Me-4-PhInd})_2\text{ZrMe}_2$  activated with a non-coordinating anion activator;

(6a)  $\text{Me}_2\text{Si}(\text{Me}_4\text{C}_5)(\text{N-1-adamantyl})\text{TiMe}_2$  and  $\text{rac-Me}_2\text{Si}(2\text{-Me-4-PhInd})_2\text{ZrMe}_2$  activated with N,N-dimethylanilinium tetrakis(pentafluorophenyl)boron and or triphenylcarbonium tetrakis(pentafluorophenyl)boron;

(7)  $\text{Me}_2\text{Si}(\text{Me}_4\text{C}_5)(\text{N-1-adamantyl})\text{TiCl}_2$  and  $\text{rac-Me}_2\text{Si}(2\text{-MeInd})_2\text{ZrCl}_2$  activated with an alumoxane;

(8)  $\text{Me}_2\text{Si}(\text{Me}_4\text{C}_5)(\text{N-1-adamantyl})\text{TiMe}_2$  and  $\text{rac-Me}_2\text{Si}(2\text{-MeInd})_2\text{ZrMe}_2$  activated with a non-coordinating anion activator;

(8a)  $\text{Me}_2\text{Si}(\text{Me}_4\text{C}_5)(\text{N-1-adamantyl})\text{TiMe}_2$  and  $\text{rac-Me}_2\text{Si}(2\text{-MeInd})_2\text{ZrMe}_2$  activated with N,N-dimethylanilinium tetrakis(pentafluorophenyl)boron and or triphenylcarbonium tetrakis(pentafluorophenyl)boron;

(9)  $\text{Me}_2\text{Si}(\text{Me}_4\text{C}_5)(\text{N-t-butyl})\text{TiCl}_2$  and  $\text{rac-Me}_2\text{Si}(2\text{-Me-4-PhInd})_2\text{ZrCl}_2$  activated with an alumoxane;

Attorney Docket No.: 2003B043A

(10)  $\text{Me}_2\text{Si}(\text{Me}_4\text{C}_5)(\text{N-t-butyl})\text{TiMe}_2$  and  $\text{rac-Me}_2\text{Si}(2\text{-Me-4-PhInd})_2\text{ZrMe}_2$  activated with a non-coordinating anion activator;

(10a)  $\text{Me}_2\text{Si}(\text{Me}_4\text{C}_5)(\text{N-t-butyl})\text{TiMe}_2$  and  $\text{rac-Me}_2\text{Si}(2\text{-Me-4-PhInd})_2\text{ZrMe}_2$  activated with N,N-dimethylanilinium tetrakis(pentafluorophenyl)boron and or triphenylcarbonium tetrakis(pentafluorophenyl)boron;

(11)  $\text{Me}_2\text{Si}(\text{Me}_4\text{C}_5)(\text{N-t-butyl})\text{TiCl}_2$  and  $\text{rac-Me}_2\text{Si}(2\text{-MeInd})_2$  activated with an alumoxane;

(12)  $\text{Me}_2\text{Si}(\text{Me}_4\text{C}_5)(\text{N-t-butyl})\text{TiMe}_2$  and  $\text{rac-Me}_2\text{Si}(2\text{-MeInd})_2\text{ZrMe}_2$  activated with a non-coordinating anion activator;

(12a)  $\text{Me}_2\text{Si}(\text{Me}_4\text{C}_5)(\text{N-t-butyl})\text{TiMe}_2$  and  $\text{rac-Me}_2\text{Si}(2\text{-MeInd})_2\text{ZrMe}_2$  activated with N,N-dimethylanilinium tetrakis(pentafluorophenyl)boron and or triphenylcarbonium tetrakis(pentafluorophenyl)boron;

(13)  $\text{Me}_2\text{Si}(\text{Me}_4\text{C}_5)(\text{N-exo-norbornyl})\text{TiCl}_2$  and  $\text{rac-Me}_2\text{Si}(2\text{-Me-4-PhInd})_2\text{ZrCl}_2$  activated with an alumoxane;

(14)  $\text{Me}_2\text{Si}(\text{Me}_4\text{C}_5)(\text{N-exo-norbornyl})\text{TiMe}_2$  and  $\text{rac-Me}_2\text{Si}(2\text{-Me-4-PhInd})_2\text{ZrMe}_2$  activated with a non-coordinating anion activator;

(14a)  $\text{Me}_2\text{Si}(\text{Me}_4\text{C}_5)(\text{N-exo-norbornyl})\text{TiMe}_2$  and  $\text{rac-Me}_2\text{Si}(2\text{-Me-4-PhInd})_2\text{ZrMe}_2$  activated with N,N-dimethylanilinium tetrakis(pentafluorophenyl)boron and or triphenylcarbonium tetrakis(pentafluorophenyl)boron;

(15)  $\text{Me}_2\text{Si}(\text{Me}_4\text{C}_5)(\text{N-exo-norbornyl})\text{TiCl}_2$  and  $\text{rac-Me}_2\text{Si}(2\text{-MeInd})_2\text{ZrCl}_2$  activated with an alumoxane;

(16)  $\text{Me}_2\text{Si}(\text{Me}_4\text{C}_5)(\text{N-exo-norbornyl})\text{TiMe}_2$  and  $\text{rac-Me}_2\text{Si}(2\text{-MeInd})_2\text{ZrMe}_2$  activated with a non-coordinating anion activator;

(16a)  $\text{Me}_2\text{Si}(\text{Me}_4\text{C}_5)(\text{N-exo-norbornyl})\text{TiMe}_2$  and  $\text{rac-Me}_2\text{Si}(2\text{-MeInd})_2\text{ZrMe}_2$  activated with N,N-dimethylanilinium tetrakis(pentafluorophenyl)boron and or triphenylcarbonium tetrakis(pentafluorophenyl)boron;

Attorney Docket No.: 2003B043A

(17)  $(p\text{-Et}_3\text{SiPh})_2\text{C}(\text{Cp})(3,8\text{-di-}t\text{-BuFlu})\text{HfCl}_2$  and  $\text{rac-Me}_2\text{Si}(2\text{-Me-4-PhInd})_2\text{ZrCl}_2$  activated with an alumoxane;

(18)  $(p\text{-Et}_3\text{SiPh})_2\text{C}(\text{Cp})(3,8\text{-di-}t\text{-BuFlu})\text{HfMe}_2$  and  $\text{rac-Me}_2\text{Si}(2\text{-Me-4-PhInd})_2\text{ZrMe}_2$  activated with a non-coordinating anion activator;

(18a)  $(p\text{-Et}_3\text{SiPh})_2\text{C}(\text{Cp})(3,8\text{-di-}t\text{-BuFlu})\text{HfMe}_2$  and  $\text{rac-Me}_2\text{Si}(2\text{-Me-4-PhInd})_2\text{ZrMe}_2$  activated with  $N,N$ -dimethylanilinium tetrakis(pentafluorophenyl)boron and or triphenylcarbonium tetrakis(pentafluorophenyl)boron;

(19)  $(p\text{-Et}_3\text{SiPh})_2\text{C}(\text{Cp})(3,8\text{-di-}t\text{-BuFlu})\text{HfCl}_2$  and  $\text{rac-Me}_2\text{Si}(2\text{-MeInd})_2\text{ZrCl}_2$  activated with an alumoxane;

(20)  $(p\text{-Et}_3\text{SiPh})_2\text{C}(\text{Cp})(3,8\text{-di-}t\text{-BuFlu})\text{HfMe}_2$  and  $\text{rac-Me}_2\text{Si}(2\text{-MeInd})_2\text{ZrMe}_2$  activated with a non-coordinating anion activator;

(20a)  $(p\text{-Et}_3\text{SiPh})_2\text{C}(\text{Cp})(3,8\text{-di-}t\text{-BuFlu})\text{HfMe}_2$  and  $\text{rac-Me}_2\text{Si}(2\text{-MeInd})_2\text{ZrMe}_2$  activated with  $N,N$ -dimethylanilinium tetrakis(pentafluorophenyl)boron and or triphenylcarbonium tetrakis(pentafluorophenyl)boron;

(21)  $\text{meso-CH}_2\text{CH}_2(\text{Ind})_2\text{ZrCl}_2$  and  $\text{rac-Me}_2\text{Si}(\text{H}_4\text{Ind})_2\text{ZrCl}_2$  activated with an alumoxane;

(22)  $\text{meso-CH}_2\text{CH}_2(\text{Ind})_2\text{ZrMe}_2$  and  $\text{rac-Me}_2\text{Si}(\text{H}_4\text{Ind})_2\text{ZrMe}_2$  activated with a non-coordinating anion activator;

(22a)  $\text{meso-CH}_2\text{CH}_2(\text{Ind})_2\text{ZrMe}_2$  and  $\text{rac-Me}_2\text{Si}(\text{H}_4\text{Ind})_2\text{ZrMe}_2$  activated with  $N,N$ -dimethylanilinium tetrakis(pentafluorophenyl)boron and or triphenylcarbonium tetrakis(pentafluorophenyl)boron;

(23)  $\text{meso-CH}_2\text{CH}_2(\text{Ind})_2\text{ZrCl}_2$  and  $\text{rac-Me}_2\text{Si}(2\text{-MeInd})_2\text{ZrCl}_2$  activated with an alumoxane;

(24)  $\text{meso-CH}_2\text{CH}_2(\text{Ind})_2\text{ZrMe}_2$  and  $\text{rac-Me}_2\text{Si}(2\text{-MeInd})_2\text{ZrMe}_2$  activated with a non-coordinating anion activator;

(24a)  $\text{meso-CH}_2\text{CH}_2(\text{Ind})_2\text{ZrMe}_2$  and  $\text{rac-Me}_2\text{Si}(2\text{-MeInd})_2\text{ZrMe}_2$  activated with  $N,N$ -dimethylanilinium tetrakis(pentafluorophenyl)boron and or triphenylcarbonium tetrakis(pentafluorophenyl)boron;

Attorney Docket No.: 2003B043A

- (25) meso-Me<sub>2</sub>Si(Ind)<sub>2</sub>ZrCl<sub>2</sub> and rac-Me<sub>2</sub>Si(H<sub>4</sub>Ind)<sub>2</sub>ZrCl<sub>2</sub> activated with an alumoxane;
- (26) meso-Me<sub>2</sub>Si(Ind)<sub>2</sub>ZrMe<sub>2</sub> and rac-Me<sub>2</sub>Si(H<sub>4</sub>Ind)<sub>2</sub>ZrMe<sub>2</sub> activated with a non-coordinating anion activator;
- (26a) meso-Me<sub>2</sub>Si(Ind)<sub>2</sub>ZrMe<sub>2</sub> and rac-Me<sub>2</sub>Si(H<sub>4</sub>Ind)<sub>2</sub>ZrMe<sub>2</sub> activated with N,N-dimethylanilinium tetrakis(pentafluorophenyl)boron and or triphenylcarbonium tetrakis(pentafluorophenyl)boron;
- (27) meso-Me<sub>2</sub>Si(Ind)<sub>2</sub>ZrCl<sub>2</sub> and rac-Me<sub>2</sub>Si(2-MeInd)<sub>2</sub>ZrCl<sub>2</sub> activated with an alumoxane;
- (28) meso-Me<sub>2</sub>Si(Ind)<sub>2</sub>ZrMe<sub>2</sub> and rac-Me<sub>2</sub>Si(2-MeInd)<sub>2</sub>ZrMe<sub>2</sub> activated with a non-coordinating anion activator;
- (28a) meso-Me<sub>2</sub>Si(Ind)<sub>2</sub>ZrMe<sub>2</sub> and rac-Me<sub>2</sub>Si(2-MeInd)<sub>2</sub>ZrMe<sub>2</sub> activated with N,N-dimethylanilinium tetrakis(pentafluorophenyl)boron and or triphenylcarbonium tetrakis(pentafluorophenyl)boron;
- (29) meso-Me<sub>2</sub>Si(2-MeInd)<sub>2</sub>ZrCl<sub>2</sub> and rac-Me<sub>2</sub>Si(2-Me-4-PhInd)<sub>2</sub>ZrCl<sub>2</sub> activated with an alumoxane;
- (30) meso-Me<sub>2</sub>Si(2-MeInd)<sub>2</sub>ZrMe<sub>2</sub> and rac-Me<sub>2</sub>Si(2-Me-4-PhInd)<sub>2</sub>ZrMe<sub>2</sub> activated with a non-coordinating anion activator;
- (30a) meso-Me<sub>2</sub>Si(2-MeInd)<sub>2</sub>ZrMe<sub>2</sub> and rac-Me<sub>2</sub>Si(2-Me-4-PhInd)<sub>2</sub>ZrMe<sub>2</sub> activated with N,N-dimethylanilinium tetrakis(pentafluorophenyl)boron and or triphenylcarbonium tetrakis(pentafluorophenyl)boron;
- (31) meso-Me<sub>2</sub>Si(2-MeInd)<sub>2</sub>ZrCl<sub>2</sub> and rac-Me<sub>2</sub>Si(2-MeInd)<sub>2</sub>ZrCl<sub>2</sub> activated with an alumoxane;
- (32) meso-Me<sub>2</sub>Si(2-MeInd)<sub>2</sub>ZrMe<sub>2</sub> and rac-Me<sub>2</sub>Si(2-MeInd)<sub>2</sub>ZrMe<sub>2</sub> activated with a non-coordinating anion activator;
- (32a) meso-Me<sub>2</sub>Si(2-MeInd)<sub>2</sub>ZrMe<sub>2</sub> and rac-Me<sub>2</sub>Si(2-MeInd)<sub>2</sub>ZrMe<sub>2</sub> activated with N,N-dimethylanilinium tetrakis(pentafluorophenyl)boron and or triphenylcarbonium tetrakis(pentafluorophenyl)boron;
- (33) meso-CH<sub>2</sub>CH<sub>2</sub>(2-MeInd)<sub>2</sub>ZrCl<sub>2</sub> and rac-Me<sub>2</sub>Si(2-Me-4-PhInd)<sub>2</sub>ZrCl<sub>2</sub> activated with an alumoxane;

Attorney Docket No.: 2003B043A

(34) meso-CH<sub>2</sub>CH<sub>2</sub>(2-MeInd)<sub>2</sub>ZrMe<sub>2</sub> and rac-Me<sub>2</sub>Si(2-Me-4-PhInd)<sub>2</sub>ZrMe<sub>2</sub> activated with a non-coordinating anion activator;

(34a) meso-CH<sub>2</sub>CH<sub>2</sub>(2-MeInd)<sub>2</sub>ZrMe<sub>2</sub> and rac-Me<sub>2</sub>Si(2-Me-4-PhInd)<sub>2</sub>ZrMe<sub>2</sub> activated with N,N-dimethylanilinium tetrakis(pentafluorophenyl)boron and or triphenylcarbonium tetrakis(pentafluorophenyl)boron;

(35) meso-CH<sub>2</sub>CH<sub>2</sub>(2-MeInd)<sub>2</sub>ZrCl<sub>2</sub> and rac-Me<sub>2</sub>Si(2-MeInd)<sub>2</sub>ZrCl<sub>2</sub> activated with an alumoxane;

(36) meso-CH<sub>2</sub>CH<sub>2</sub>(2-MeInd)<sub>2</sub>ZrMe<sub>2</sub> and rac-Me<sub>2</sub>Si(2-MeInd)<sub>2</sub>ZrMe<sub>2</sub> activated with a non-coordinating anion activator;

(36a) meso-CH<sub>2</sub>CH<sub>2</sub>(2-MeInd)<sub>2</sub>ZrMe<sub>2</sub> and rac-Me<sub>2</sub>Si(2-MeInd)<sub>2</sub>ZrMe<sub>2</sub> activated with N,N-dimethylanilinium tetrakis(pentafluorophenyl)boron and or triphenylcarbonium tetrakis(pentafluorophenyl)boron;

(37) meso-Me<sub>2</sub>Si(2-Me-4-PhInd)<sub>2</sub>ZrCl<sub>2</sub> and rac-Me<sub>2</sub>Si(2-Me-4-PhInd)<sub>2</sub>ZrCl<sub>2</sub> activated with an alumoxane;

(38) meso-Me<sub>2</sub>Si(2-Me-4-PhInd)<sub>2</sub>ZrMe<sub>2</sub> and rac-Me<sub>2</sub>Si(2-Me-4-PhInd)<sub>2</sub>ZrMe<sub>2</sub> activated with a non-coordinating anion activator;

(38a) meso-Me<sub>2</sub>Si(2-Me-4-PhInd)<sub>2</sub>ZrMe<sub>2</sub> and rac-Me<sub>2</sub>Si(2-Me-4-PhInd)<sub>2</sub>ZrMe<sub>2</sub> activated with N,N-dimethylanilinium tetrakis(pentafluorophenyl)boron and or triphenylcarbonium tetrakis(pentafluorophenyl)boron;

(39) meso-CH<sub>2</sub>CH<sub>2</sub>(2-Me-4-PhInd)<sub>2</sub>ZrCl<sub>2</sub> and rac-CH<sub>2</sub>CH<sub>2</sub>(2-Me-4-PhInd)<sub>2</sub>ZrCl<sub>2</sub> activated with an alumoxane;

(40) meso-CH<sub>2</sub>CH<sub>2</sub>(2-Me-4-PhInd)<sub>2</sub>ZrMe<sub>2</sub> and rac-CH<sub>2</sub>CH<sub>2</sub>(2-Me-4-PhInd)<sub>2</sub>ZrMe<sub>2</sub> activated with a non-coordinating anion activator;

(40a) meso-CH<sub>2</sub>CH<sub>2</sub>(2-Me-4-PhInd)<sub>2</sub>ZrMe<sub>2</sub> and rac-CH<sub>2</sub>CH<sub>2</sub>(2-Me-4-PhInd)<sub>2</sub>ZrMe<sub>2</sub> activated with N,N-dimethylanilinium tetrakis(pentafluorophenyl)boron and or triphenylcarbonium tetrakis(pentafluorophenyl)boron;

Attorney Docket No.: 2003B043A

- (41) meso-CH<sub>2</sub>CH<sub>2</sub>(2-MeInd)<sub>2</sub>ZrCl<sub>2</sub> and rac-CH<sub>2</sub>CH<sub>2</sub>(2-MePhInd)<sub>2</sub>ZrCl<sub>2</sub> activated with an alumoxane;
- (42) meso-CH<sub>2</sub>CH<sub>2</sub>(2-MeInd)<sub>2</sub>ZrMe<sub>2</sub> and rac-CH<sub>2</sub>CH<sub>2</sub>(2-MeInd)<sub>2</sub>ZrMe<sub>2</sub> activated with a non-coordinating anion activator;
- (42a) meso-CH<sub>2</sub>CH<sub>2</sub>(2-MeInd)<sub>2</sub>ZrMe<sub>2</sub> and rac-CH<sub>2</sub>CH<sub>2</sub>(2-MeInd)<sub>2</sub>ZrMe<sub>2</sub> activated with N,N-dimethylanilinium tetrakis(pentafluorophenyl)boron and or triphenylcarbonium tetrakis(pentafluorophenyl)boron;
- (43) meso-CH<sub>2</sub>CH<sub>2</sub>(Ind)<sub>2</sub>ZrCl<sub>2</sub> and rac-CH<sub>2</sub>CH<sub>2</sub>(Ind)<sub>2</sub>ZrCl<sub>2</sub> activated with an alumoxane;
- (44) meso-CH<sub>2</sub>CH<sub>2</sub>(Ind)<sub>2</sub>ZrMe<sub>2</sub> and rac-CH<sub>2</sub>CH<sub>2</sub>(Ind)<sub>2</sub>ZrMe<sub>2</sub> activated with a non-coordinating anion activator;
- (44a) meso-CH<sub>2</sub>CH<sub>2</sub>(Ind)<sub>2</sub>ZrMe<sub>2</sub> and rac-CH<sub>2</sub>CH<sub>2</sub>(Ind)<sub>2</sub>ZrMe<sub>2</sub> activated with N,N-dimethylanilinium tetrakis(pentafluorophenyl)boron and or triphenylcarbonium tetrakis(pentafluorophenyl)boron;
- (45) meso-Me<sub>2</sub>Si(Ind)<sub>2</sub>ZrCl<sub>2</sub> and rac-Me<sub>2</sub>Si(Ind)<sub>2</sub>ZrCl<sub>2</sub> activated with an alumoxane;
- (46) meso-Me<sub>2</sub>Si(Ind)<sub>2</sub>ZrMe<sub>2</sub> and rac-Me<sub>2</sub>Si(Ind)<sub>2</sub>ZrMe<sub>2</sub> activated with a non-coordinating anion activator;
- (46a) meso-Me<sub>2</sub>Si(Ind)<sub>2</sub>ZrMe<sub>2</sub> and rac-Me<sub>2</sub>Si(Ind)<sub>2</sub>ZrMe<sub>2</sub> activated with N,N-dimethylanilinium tetrakis(pentafluorophenyl)boron and or triphenylcarbonium tetrakis(pentafluorophenyl)boron;
- (47) meso-CH<sub>2</sub>CH<sub>2</sub>(Ind)<sub>2</sub>ZrCl<sub>2</sub> and rac-CH<sub>2</sub>CH<sub>2</sub>(4,7-Me<sub>2</sub>Ind)<sub>2</sub>ZrCl<sub>2</sub> (4,7-Me<sub>2</sub>Ind = 4,7-dimethylindenyl) activated with an alumoxane;
- (48) meso-CH<sub>2</sub>CH<sub>2</sub>(Ind)<sub>2</sub>ZrMe<sub>2</sub> and rac-CH<sub>2</sub>CH<sub>2</sub>(4,7-Me<sub>2</sub>Ind)<sub>2</sub>ZrMe<sub>2</sub> activated with a non-coordinating anion activator;
- (48a) meso-CH<sub>2</sub>CH<sub>2</sub>(Ind)<sub>2</sub>ZrMe<sub>2</sub> and rac-CH<sub>2</sub>CH<sub>2</sub>(4,7-Me<sub>2</sub>Ind)<sub>2</sub>ZrMe<sub>2</sub> activated with N,N-dimethylanilinium tetrakis(pentafluorophenyl)boron and or triphenylcarbonium tetrakis(pentafluorophenyl)boron;
- (49) meso-Me<sub>2</sub>Si(Ind)<sub>2</sub>ZrCl<sub>2</sub> and rac-CH<sub>2</sub>CH<sub>2</sub>(4,7-Me<sub>2</sub>Ind)<sub>2</sub>ZrCl<sub>2</sub> activated with an alumoxane;



Attorney Docket No.: 2003B043A

(50) meso-Me<sub>2</sub>Si(Ind)<sub>2</sub>ZrMe<sub>2</sub> and rac-CH<sub>2</sub>CH<sub>2</sub>(4,7-Me<sub>2</sub>Ind)<sub>2</sub>ZrMe<sub>2</sub> activated with a non-coordinating anion activator;

(50a) meso-Me<sub>2</sub>Si(Ind)<sub>2</sub>ZrMe<sub>2</sub> and rac-CH<sub>2</sub>CH<sub>2</sub>(4,7-Me<sub>2</sub>Ind)<sub>2</sub>ZrMe<sub>2</sub> activated with N,N-dimethylanilinium tetrakis(pentafluorophenyl)boron and or triphenylcarbonium tetrakis(pentafluorophenyl)boron;

(51) meso-CH<sub>2</sub>CH<sub>2</sub>(2-MeInd)<sub>2</sub>ZrCl<sub>2</sub> and rac-CH<sub>2</sub>CH<sub>2</sub>(4,7-Me<sub>2</sub>Ind)<sub>2</sub>ZrCl<sub>2</sub> (4,7-Me<sub>2</sub>Ind = 4,7-dimethylindenyl) activated with an alumoxane;

(52) meso-CH<sub>2</sub>CH<sub>2</sub>(2-MeInd)<sub>2</sub>ZrMe<sub>2</sub> and rac-CH<sub>2</sub>CH<sub>2</sub>(4,7-Me<sub>2</sub>Ind)<sub>2</sub>ZrMe<sub>2</sub> activated with a non-coordinating anion activator;

(52a) meso-CH<sub>2</sub>CH<sub>2</sub>(2-MeInd)<sub>2</sub>ZrMe<sub>2</sub> and rac-CH<sub>2</sub>CH<sub>2</sub>(4,7-Me<sub>2</sub>Ind)<sub>2</sub>ZrMe<sub>2</sub> activated with N,N-dimethylanilinium tetrakis(pentafluorophenyl)boron and or triphenylcarbonium tetrakis(pentafluorophenyl)boron;

(53) meso-Me<sub>2</sub>Si(2-MeInd)<sub>2</sub>ZrCl<sub>2</sub> and rac-CH<sub>2</sub>CH<sub>2</sub>(4,7-Me<sub>2</sub>Ind)<sub>2</sub>ZrCl<sub>2</sub> activated with an alumoxane;

(54) meso-Me<sub>2</sub>Si(2-MeInd)<sub>2</sub>ZrMe<sub>2</sub> and rac-CH<sub>2</sub>CH<sub>2</sub>(4,7-Me<sub>2</sub>Ind)<sub>2</sub>ZrMe<sub>2</sub> activated with a non-coordinating anion activator; or

(54a) meso-Me<sub>2</sub>Si(2-MeInd)<sub>2</sub>ZrMe<sub>2</sub> and rac-CH<sub>2</sub>CH<sub>2</sub>(4,7-Me<sub>2</sub>Ind)<sub>2</sub>ZrMe<sub>2</sub> activated with N,N-dimethylanilinium tetrakis(pentafluorophenyl)boron and or triphenylcarbonium tetrakis(pentafluorophenyl)boron.

46. (previously presented) The process of claim 1 wherein:

- 1) the first catalyst component is capable of producing a polymer having a weight average molecular weight of 80,000 or less and a crystallinity of 15% or less under selected polymerization conditions;
- 2) the a second catalyst component is capable of producing polymer having a weight average molecular weight of 80,000 or less and a crystallinity of 50% or more at the selected polymerization conditions;
- 3) the temperature in the reaction zones is greater than 105°C;
- 4) the residence time in the reaction zones is 10 minutes or less;
- 5) the ratio of the first catalyst to the second catalyst is from 1:1 to 20:1;

Attorney Docket No.: 2003B043A

6) wherein the activity of the catalyst components is at least 100 kilograms of polymer per gram of the catalyst components; and wherein at least 80% of the olefins are converted to polymer.

47. (original) The process of claim 46 wherein:

- a) the olefins comprise propylene and one or more of butene, pentene, hexene, heptene, octene, nonene, decene, dodecene; and
- b) the temperature is greater than 110°C; and
- c) the residence time is 5 minutes or less; and
- d) the ratio of the first catalyst to the second catalyst is from 1:1 to 1:10.

48. (original) The process of claim 1 wherein the step of recovering a branched olefin polymer comprising at least 50 mole% of one or more C3 to C40 olefins comprises:

- 1) withdrawing polymer solution from the reaction zone;
- 2) removing at least 10% solvent from the polymer solution;
- 3) quenching the reaction;
- 4) devolatilizing the polymer solution to form molten polymer;
- 5) combining the molten polymer and one or more additives in a static mixer;
- 6) removing the polymer combination from the static mixer; and
- 7) pelletizing or drumming the polymer combination.

49. (original) The process of claim 48 wherein the additives in step 5) comprise nucleating agent.

50. (original) The process of claim 1 wherein the second catalyst component comprises one or more of:

dimethylsiladiyl(2-methyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
dimethylsiladiyl(2-ethyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
dimethylsiladiyl(2-*n*-propyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
dimethylsiladiyl(2-iso-propyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
dimethylsiladiyl(2-*n*-butyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
dimethylsiladiyl(2-iso-butyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
dimethylsiladiyl(2-sec-butyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
dimethylsiladiyl(2-tert-butyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
dimethylsiladiyl(2-methyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
dimethylsiladiyl(2-ethyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
dimethylsiladiyl(2-*n*-propyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>hafnium  
dimethylsiladiyl(2-iso-propyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>hafnium dichloride;

Attorney Docket No.: 2003B043A

dimethylsiladiyl(2-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
9-silafluorendiyl(2-methyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
9-silafluorendiyl(2-ethyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
9-silafluorendiyl(2-n-propyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
9-silafluorendiyl(2-iso-propyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
9-silafluorendiyl(2-n-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
9-silafluorendiyl(2-iso-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
9-silafluorendiyl(2-sec-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
9-silafluorendiyl(2-tert-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
9-silafluorendiyl(2-methyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
9-silafluorendiyl(2-ethyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
9-silafluorendiyl(2-n-propyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
9-silafluorendiyl(2-iso-propyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
9-silafluorendiyl(2-n-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
9-silafluorendiyl(2-iso-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
9-silafluorendiyl(2-sec-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
9-silafluorendiyl(2-tert-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
dimethylsiladiyl(2-methyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
dimethylsiladiyl(2-ethyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
dimethylsiladiyl(2-n-propyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
dimethylsiladiyl(2-iso-propyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
dimethylsiladiyl(2-n-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
dimethylsiladiyl(2-iso-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
dimethylsiladiyl(2-sec-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
dimethylsiladiyl(2-tert-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
dimethylsiladiyl(2-methyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
dimethylsiladiyl(2-ethyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
dimethylsiladiyl(2-n-propyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
dimethylsiladiyl(2-iso-propyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
dimethylsiladiyl(2-n-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
dimethylsiladiyl(2-iso-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
dimethylsiladiyl(2-sec-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
dimethylsiladiyl(2-tert-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
9-silafluorendiyl(2-methyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
9-silafluorendiyl(2-ethyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
9-silafluorendiyl(2-n-propyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
9-silafluorendiyl(2-iso-propyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;

Attorney Docket No.: 2003B043A

9-silafluorendiyl(2-n-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
9-silafluorendiyl(2-iso-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
9-silafluorendiyl(2-sec-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
9-silafluorendiyl(2-tert-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
9-silafluorendiyl(2-methyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
9-silafluorendiyl(2-ethyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
9-silafluorendiyl(2-n-propyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
9-silafluorendiyl(2-iso-propyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
9-silafluorendiyl(2-n-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
9-silafluorendiyl(2-iso-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
9-silafluorendiyl(2-sec-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
9-silafluorendiyl(2-tert-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
dimethylsiladiyl(2-methyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
dimethylsiladiyl(2-ethyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
dimethylsiladiyl(2-n-propyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
dimethylsiladiyl(2-iso-propyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
dimethylsiladiyl(2-n-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
dimethylsiladiyl(2-iso-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
dimethylsiladiyl(2-sec-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
dimethylsiladiyl(2-tert-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
dimethylsiladiyl(2-methyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
dimethylsiladiyl(2-ethyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
dimethylsiladiyl(2-n-propyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
dimethylsiladiyl(2-iso-propyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
dimethylsiladiyl(2-n-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
dimethylsiladiyl(2-iso-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
dimethylsiladiyl(2-sec-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
dimethylsiladiyl(2-tert-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
9-silafluorendiyl(2-methyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
dimethylsiladiyl(2-ethyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
9-silafluorendiyl(2-n-propyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
9-silafluorendiyl(2-iso-propyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
9-silafluorendiyl(2-n-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
9-silafluorendiyl(2-iso-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
9-silafluorendiyl(2-sec-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
9-silafluorendiyl(2-tert-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
9-silafluorendiyl(2-methyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>hafnium dichloride;

Attorney Docket No.: 2003B043A

9-silafluorendiyl(2-ethyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
9-silafluorendiyl(2-n-propyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>  
hafnium dichloride;  
9-silafluorendiyl(2-iso-propyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>  
hafnium dichloride;  
9-silafluorendiyl(2-n-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
9-silafluorendiyl(2-iso-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
9-silafluorendiyl(2-sec-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
9-silafluorendiyl(2-tert-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
dimethylsiladiyl(2-methyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
dimethylsiladiyl(2-ethyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
dimethylsiladiyl(2-n-propyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
dimethylsiladiyl(2-iso-propyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
dimethylsiladiyl(2-n-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
dimethylsiladiyl(2-iso-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
dimethylsiladiyl(2-sec-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
dimethylsiladiyl(2-tert-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
dimethylsiladiyl(2-methyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
dimethylsiladiyl(2-ethyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
dimethylsiladiyl(2-n-propyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
dimethylsiladiyl(2-iso-propyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
dimethylsiladiyl(2-n-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
dimethylsiladiyl(2-iso-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
dimethylsiladiyl(2-sec-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
dimethylsiladiyl(2-tert-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
9-silafluorendiyl(2-methyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
dimethylsiladiyl(2-ethyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
9-silafluorendiyl(2-n-propyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
9-silafluorendiyl(2-iso-propyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
9-silafluorendiyl(2-n-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
9-silafluorendiyl(2-iso-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
9-silafluorendiyl(2-sec-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
9-silafluorendiyl(2-tert-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
9-silafluorendiyl(2-methyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
9-silafluorendiyl(2-ethyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
9-silafluorendiyl(2-n-propyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>  
hafnium dimethyl;

Attorney Docket No.: 2003B043A

9-silafluorendiyl(2-iso-propyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>  
hafnium dimethyl;  
9-silafluorendiyl(2-n-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
9-silafluorendiyl(2-iso-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
9-silafluorendiyl(2-sec-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
9-silafluorendiyl(2-tert-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
dimethylsiladiyl(2-ethyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
dimethylsiladiyl(2-n-propyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dichloride  
dimethylsiladiyl(2-iso-propyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
dimethylsiladiyl(2-n-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
dimethylsiladiyl(2-iso-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
dimethylsiladiyl(2-sec-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
dimethylsiladiyl(2-tert-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
dimethylsiladiyl(2-ethyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
dimethylsiladiyl(2-n-propyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
dimethylsiladiyl(2-iso-propyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
dimethylsiladiyl(2-n-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
dimethylsiladiyl(2-iso-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
dimethylsiladiyl(2-sec-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
dimethylsiladiyl(2-tert-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
9-silafluorendiyl(2-ethyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
9-silafluorendiyl(2-n-propyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
9-silafluorendiyl(2-iso-propyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
9-silafluorendiyl(2-n-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
9-silafluorendiyl(2-iso-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
9-silafluorendiyl(2-sec-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
9-silafluorendiyl(2-tert-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
9-silafluorendiyl(2-ethyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
9-silafluorendiyl(2-n-propyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
9-silafluorendiyl(2-iso-propyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
9-silafluorendiyl(2-n-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
9-silafluorendiyl(2-iso-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
9-silafluorendiyl(2-sec-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
9-silafluorendiyl(2-tert-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
dimethylsiladiyl(2-ethyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
dimethylsiladiyl(2-n-propyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dimethyl  
dimethylsiladiyl(2-iso-propyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;

Attorney Docket No.: 2003B043A

dimethylsiladiyl(2-n-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
dimethylsiladiyl(2-isobutyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
dimethylsiladiyl(2-sec-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
dimethylsiladiyl(2-tert-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
dimethylsiladiyl(2-ethyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
dimethylsiladiyl(2-n-propyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
dimethylsiladiyl(2-iso-propyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
dimethylsiladiyl(2-n-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
dimethylsiladiyl(2-iso-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
dimethylsiladiyl(2-sec-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
dimethylsiladiyl(2-tert-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
9-silafluorendiyl(2-ethyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
9-silafluorendiyl(2-n-propyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
9-silafluorendiyl(2-iso-propyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
9-silafluorendiyl(2-n-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
9-silafluorendiyl(2-iso-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
9-silafluorendiyl(2-sec-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
9-silafluorendiyl(2-tert-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
9-silafluorendiyl(2-ethyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
9-silafluorendiyl(2-n-propyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
9-silafluorendiyl(2-iso-propyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
9-silafluorendiyl(2-n-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
9-silafluorendiyl(2-iso-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
9-silafluorendiyl(2-sec-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
9-silafluorendiyl(2-tert-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
dimethylsiladiyl(2-methyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
dimethylsiladiyl(2-ethyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
dimethylsiladiyl(2-n-propyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
dimethylsiladiyl(2-iso-propyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
dimethylsiladiyl(2-n-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
dimethylsiladiyl(2-iso-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
dimethylsiladiyl(2-sec-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
dimethylsiladiyl(2-tert-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
dimethylsiladiyl(2-methyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
dimethylsiladiyl(2-ethyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
dimethylsiladiyl(2-n-propyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
dimethylsiladiyl(2-iso-propyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>hafnium dichloride;

Attorney Docket No.: 2003B043A

dimethylsiladiyl(2-n-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
dimethylsiladiyl(2-iso-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
dimethylsiladiyl(2-sec-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
dimethylsiladiyl(2-tert-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
9-silafluorendiyl(2-methyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
9-silafluorendiyl(2-ethyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
9-silafluorendiyl(2-n-propyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
9-silafluorendiyl(2-iso-propyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
9-silafluorendiyl(2-n-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
9-silafluorendiyl(2-iso-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
9-silafluorendiyl(2-sec-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
9-silafluorendiyl(2-tert-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
9-silafluorendiyl(2-methyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
9-silafluorendiyl(2-ethyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
9-silafluorendiyl(2-n-propyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
9-silafluorendiyl(2-iso-propyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
9-silafluorendiyl(2-n-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
9-silafluorendiyl(2-iso-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
9-silafluorendiyl(2-sec-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
9-silafluorendiyl(2-tert-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
dimethylsiladiyl(2-methyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
dimethylsiladiyl(2-ethyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
dimethylsiladiyl(2-n-propyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
dimethylsiladiyl(2-iso-propyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
dimethylsiladiyl(2-n-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
dimethylsiladiyl(2-iso-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
dimethylsiladiyl(2-sec-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
dimethylsiladiyl(2-tert-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
dimethylsiladiyl(2-methyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
dimethylsiladiyl(2-ethyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
dimethylsiladiyl(2-n-propyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
dimethylsiladiyl(2-iso-propyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
dimethylsiladiyl(2-n-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
dimethylsiladiyl(2-iso-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
dimethylsiladiyl(2-sec-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
dimethylsiladiyl(2-tert-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
9-silafluorendiyl(2-methyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;



Attorney Docket No.: 2003B043A

9-silafluorendiyl(2-ethyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
9-silafluorendiyl(2-n-propyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
9-silafluorendiyl(2-iso-propyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
9-silafluorendiyl(2-n-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
9-silafluorendiyl(2-iso-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
9-silafluorendiyl(2-sec-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
9-silafluorendiyl(2-tert-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
9-silafluorendiyl(2-methyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
9-silafluorendiyl(2-ethyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>hafnium dichloride;  
9-silafluorendiyl(2-n-propyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
9-silafluorendiyl(2-iso-propyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
9-silafluorendiyl(2-n-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
9-silafluorendiyl(2-iso-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
9-silafluorendiyl(2-sec-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
9-silafluorendiyl(2-tert-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>hafnium dimethyl;  
dimethylsiladiyl(2-methyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;  
dimethylsiladiyl(2-ethyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;  
dimethylsiladiyl(2-n-propyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;  
dimethylsiladiyl(2-iso-propyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;  
dimethylsiladiyl(2-n-butyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;  
dimethylsiladiyl(2-iso-butyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;  
dimethylsiladiyl(2-sec-butyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;  
dimethylsiladiyl(2-tert-butyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;  
dimethylsiladiyl(2-ethyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;  
dimethylsiladiyl(2-n-propyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;  
dimethylsiladiyl(2-iso-propyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;  
dimethylsiladiyl(2-n-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;  
dimethylsiladiyl(2-iso-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;  
dimethylsiladiyl(2-sec-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;  
dimethylsiladiyl(2-tert-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

Attorney Docket No.: 2003B043A

dimethylsiladiyl(2-ethyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;  
dimethylsiladiyl(2-n-propyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;  
dimethylsiladiyl(2-iso-propyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;  
dimethylsiladiyl(2-n-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;  
dimethylsiladiyl(2-iso-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;  
dimethylsiladiyl(2-sec-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;  
dimethylsiladiyl(2-tert-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;  
dimethylsiladiyl(2-methyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;  
dimethylsiladiyl(2-ethyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;  
dimethylsiladiyl(2-n-propyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;  
dimethylsiladiyl(2-iso-propyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;  
dimethylsiladiyl(2-n-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;  
dimethylsiladiyl(2-iso-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;  
dimethylsiladiyl(2-sec-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;  
dimethylsiladiyl(2-tert-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;  
9-silafluorendiyl(2-methyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;  
9-silafluorendiyl(2-ethyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;  
9-silafluorendiyl(2-n-propyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;  
9-silafluorendiyl(2-iso-propyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;  
9-silafluorendiyl(2-n-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;  
9-silafluorendiyl(2-iso-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;  
9-silafluorendiyl(2-sec-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;  
9-silafluorendiyl(2-tert-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;  
9-silafluorendiyl(2-ethyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;  
9-silafluorendiyl(2-n-propyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;  
9-silafluorendiyl(2-iso-propyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;  
9-silafluorendiyl(2-n-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;  
9-silafluorendiyl(2-iso-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;  
9-silafluorendiyl(2-sec-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

Attorney Docket No.: 2003B043A

9-silafluorendiyl(2-tert-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

9-silafluorendiyl(2-ethyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

9-silafluorendiyl(2-n-propyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

9-silafluorendiyl(2-iso-propyl, 4-[3',5'-di-iso-propylphenyl]indenyl) η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

9-silafluorendiyl(2-n-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

9-silafluorendiyl(2-iso-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

9-silafluorendiyl(2-sec-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

9-silafluorendiyl(2-tert-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

9-silafluorendiyl(2-methyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

9-silafluorendiyl(2-ethyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

9-silafluorendiyl(2-n-propyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

9-silafluorendiyl(2-iso-propyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

9-silafluorendiyl(2-n-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

9-silafluorendiyl(2-iso-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

9-silafluorendiyl(2-sec-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

9-silafluorendiyl(2-tert-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

dimethylamidoborane(2-methyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>zirconium dichloride;

dimethylamidoborane(2-ethyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>zirconium dichloride;

dimethylamidoborane(2-n-propyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>zirconium dichloride;

dimethylamidoborane(2-iso-propyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>zirconium dichloride;

dimethylamidoborane(2-n-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>zirconium dichloride;

dimethylamidoborane(2-iso-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>zirconium dichloride;

dimethylamidoborane(2-sec-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>zirconium dichloride;

dimethylamidoborane(2-tert-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>zirconium dichloride;

dimethylamidoborane(2-ethyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dichloride;

dimethylamidoborane(2-n-propyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dichloride;

dimethylamidoborane(2-iso-propyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dichloride;

dimethylamidoborane(2-n-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dichloride;

dimethylamidoborane(2-iso-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dichloride;

dimethylamidoborane(2-sec-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dichloride;

dimethylamidoborane(2-tert-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dichloride;

dimethylamidoborane(2-ethyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dichloride;

dimethylamidoborane(2-n-propyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dichloride;

dimethylamidoborane(2-iso-propyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dichloride;

dimethylamidoborane(2-n-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dichloride;

Attorney Docket No.: 2003B043A

dimethylamidoborane(2-iso-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
dimethylamidoborane(2-sec-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
dimethylamidoborane(2-tert-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
dimethylamidoborane(2-methyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
dimethylamidoborane(2-ethyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
dimethylamidoborane(2-n-propyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
dimethylamidoborane(2-iso-propyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
dimethylamidoborane(2-n-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
dimethylamidoborane(2-iso-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
dimethylamidoborane(2-sec-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
dimethylamidoborane(2-tert-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
dimethylamidoborane(2-methyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>  $\eta^4$ -1,4-diphenyl-1,3-butadiene;  
dimethylamidoborane(2-ethyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>  $\eta^4$ -1,4-diphenyl-1,3-butadiene;  
dimethylamidoborane(2-n-propyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>  $\eta^4$ -1,4-diphenyl-1,3-butadiene;  
dimethylamidoborane(2-iso-propyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>  $\eta^4$ -1,4-diphenyl-1,3-butadiene;  
dimethylamidoborane(2-n-butyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>  $\eta^4$ -1,4-diphenyl-1,3-butadiene;  
dimethylamidoborane(2-iso-butyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>  $\eta^4$ -1,4-diphenyl-1,3-butadiene;  
dimethylamidoborane(2-sec-butyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>  $\eta^4$ -1,4-diphenyl-1,3-butadiene;  
dimethylamidoborane(2-tert-butyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>  $\eta^4$ -1,4-diphenyl-1,3-butadiene;  
dimethylamidoborane(2-ethyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>  $\eta^4$ -1,4-diphenyl-1,3-butadiene;  
dimethylamidoborane(2-n-propyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>  $\eta^4$ -1,4-diphenyl-1,3-butadiene;  
dimethylamidoborane(2-iso-propyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>  $\eta^4$ -1,4-diphenyl-1,3-butadiene;  
dimethylamidoborane(2-n-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>  $\eta^4$ -1,4-diphenyl-1,3-butadiene;  
dimethylamidoborane(2-iso-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>  $\eta^4$ -1,4-diphenyl-1,3-butadiene;  
dimethylamidoborane(2-sec-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>  $\eta^4$ -1,4-diphenyl-1,3-butadiene;  
dimethylamidoborane(2-tert-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>  $\eta^4$ -1,4-diphenyl-1,3-butadiene;  
dimethylamidoborane(2-ethyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>  $\eta^4$ -1,4-diphenyl-1,3-butadiene;

Attorney Docket No.: 2003B043A

dimethylamidoborane(2-n-propyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

dimethylamidoborane(2-iso-propyl, 4-[3',5'-di-iso-propylphenyl]indenyl) η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

dimethylamidoborane(2-n-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

dimethylamidoborane(2-iso-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

dimethylamidoborane(2-sec-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

dimethylamidoborane(2-tert-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

dimethylamidoborane(2-methyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

dimethylamidoborane(2-ethyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

dimethylamidoborane(2-n-propyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

dimethylamidoborane(2-iso-propyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

dimethylamidoborane(2-n-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

dimethylamidoborane(2-iso-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

dimethylamidoborane(2-sec-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

dimethylamidoborane(2-tert-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

dimethylamidoborane(2-methyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub> zirconium dimethyl;

dimethylamidoborane(2-ethyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub> zirconium dimethyl;

dimethylamidoborane(2-n-propyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub> zirconium dimethyl;

dimethylamidoborane(2-iso-propyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub> zirconium dimethyl;

dimethylamidoborane(2-n-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub> zirconium dimethyl;

dimethylamidoborane(2-iso-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub> zirconium dimethyl;

dimethylamidoborane(2-sec-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub> zirconium dimethyl;

dimethylamidoborane(2-tert-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub> zirconium dimethyl;

dimethylamidoborane(2-ethyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub> zirconium dimethyl;

dimethylamidoborane(2-n-propyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub> zirconium dimethyl;

dimethylamidoborane(2-iso-propyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub> zirconium dimethyl;

dimethylamidoborane(2-n-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub> zirconium dimethyl;

dimethylamidoborane(2-iso-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub> zirconium dimethyl;

dimethylamidoborane(2-sec-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub> zirconium dimethyl;

dimethylamidoborane(2-tert-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub> zirconium dimethyl;

dimethylamidoborane(2-ethyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub> zirconium dimethyl;

dimethylamidoborane(2-n-propyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub> zirconium dimethyl

Attorney Docket No.: 2003B043A

dimethylamidoborane(2-iso-propyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
dimethylamidoborane(2-n-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
dimethylamidoborane(2-iso-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
dimethylamidoborane(2-sec-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
dimethylamidoborane(2-tert-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
dimethylamidoborane(2-methyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
dimethylamidoborane(2-ethyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
dimethylamidoborane(2-n-propyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
dimethylamidoborane(2-iso-propyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
dimethylamidoborane(2-n-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
dimethylamidoborane(2-iso-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
dimethylamidoborane(2-sec-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
dimethylamidoborane(2-tert-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
diisopropylamidoborane(2-methyl, 4-[3',5'-di-~~t~~butylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
diisopropylamidoborane(2-ethyl, 4-[3',5'-di-~~t~~butylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
diisopropylamidoborane(2-n-propyl, 4-[3',5'-di-~~t~~butylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
diisopropylamidoborane(2-iso-propyl, 4-[3',5'-di-~~t~~butylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
diisopropylamidoborane(2-n-butyl, 4-[3',5'-di-~~t~~butylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
diisopropylamidoborane(2-iso-butyl, 4-[3',5'-di-~~t~~butylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
diisopropylamidoborane(2-sec-butyl, 4-[3',5'-di-~~t~~butylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
diisopropylamidoborane(2-tert-butyl, 4-[3',5'-di-~~t~~butylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
diisopropylamidoborane(2-ethyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
diisopropylamidoborane(2-n-propyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
diisopropylamidoborane(2-iso-propyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium  
dichloride;  
diisopropylamidoborane(2-n-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
diisopropylamidoborane(2-iso-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium  
dichloride;  
diisopropylamidoborane(2-sec-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium  
dichloride;  
diisopropylamidoborane(2-tert-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium  
dichloride;  
diisopropylamidoborane(2-ethyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
diisopropylamidoborane(2-n-propyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
diisopropylamidoborane(2-iso-propyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
diisopropylamidoborane(2-n-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
diisopropylamidoborane(2-iso-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dichloride;

Attorney Docket No.: 2003B043A

diisopropylamidoborane(2-sec-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
diisopropylamidoborane(2-tert-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
diisopropylamidoborane(2-methyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
diisopropylamidoborane(2-ethyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
diisopropylamidoborane(2-n-propyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
diisopropylamidoborane(2-iso-propyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
diisopropylamidoborane(2-n-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
diisopropylamidoborane(2-iso-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
diisopropylamidoborane(2-sec-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
diisopropylamidoborane(2-tert-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
diisopropylamidoborane(2-methyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>  $\eta^4$ -1,4-diphenyl-1,3-butadiene;  
diisopropylamidoborane(2-ethyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>  $\eta^4$ -1,4-diphenyl-1,3-butadiene;  
diisopropylamidoborane(2-n-propyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>  $\eta^4$ -1,4-diphenyl-1,3-butadiene;  
diisopropylamidoborane(2-iso-propyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>  $\eta^4$ -1,4-diphenyl-1,3-butadiene;  
diisopropylamidoborane(2-n-butyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>  $\eta^4$ -1,4-diphenyl-1,3-butadiene;  
diisopropylamidoborane(2-iso-butyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>  $\eta^4$ -1,4-diphenyl-1,3-butadiene;  
diisopropylamidoborane(2-sec-butyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>  $\eta^4$ -1,4-diphenyl-1,3-butadiene;  
diisopropylamidoborane(2-tert-butyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>  $\eta^4$ -1,4-diphenyl-1,3-butadiene;  
diisopropylamidoborane(2-ethyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>  $\eta^4$ -1,4-diphenyl-1,3-butadiene;  
diisopropylamidoborane(2-n-propyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>  $\eta^4$ -1,4-diphenyl-1,3-butadiene;  
diisopropylamidoborane(2-iso-propyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>  $\eta^4$ -1,4-diphenyl-1,3-butadiene;  
diisopropylamidoborane(2-n-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>  $\eta^4$ -1,4-diphenyl-1,3-butadiene;  
diisopropylamidoborane(2-iso-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>  $\eta^4$ -1,4-diphenyl-1,3-butadiene;  
diisopropylamidoborane(2-sec-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>  $\eta^4$ -1,4-diphenyl-1,3-butadiene;  
diisopropylamidoborane(2-tert-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>  $\eta^4$ -1,4-diphenyl-1,3-butadiene;  
diisopropylamidoborane(2-ethyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>  $\eta^4$ -1,4-diphenyl-1,3-butadiene;

Attorney Docket No.: 2003B043A

diisopropylamidoborane(2-n-propyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

diisopropylamidoborane(2-iso-propyl, 4-[3',5'-di-iso-propylphenyl]indenyl) η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

diisopropylamidoborane(2-n-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

diisopropylamidoborane(2-iso-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

diisopropylamidoborane(2-sec-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

diisopropylamidoborane(2-tert-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

diisopropylamidoborane(2-methyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

diisopropylamidoborane(2-ethyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

diisopropylamidoborane(2-n-propyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

diisopropylamidoborane(2-iso-propyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

diisopropylamidoborane(2-n-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

diisopropylamidoborane(2-iso-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

diisopropylamidoborane(2-sec-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

diisopropylamidoborane(2-tert-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

diisopropylamidoborane(2-methyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub> zirconium dimethyl;

diisopropylamidoborane(2-ethyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub> zirconium dimethyl;

diisopropylamidoborane(2-n-propyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub> zirconium dimethyl;

diisopropylamidoborane(2-iso-propyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub> zirconium dimethyl;

diisopropylamidoborane(2-n-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub> zirconium dimethyl;

diisopropylamidoborane(2-iso-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub> zirconium dimethyl;

diisopropylamidoborane(2-sec-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub> zirconium dimethyl;

diisopropylamidoborane(2-tert-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub> zirconium dimethyl;

diisopropylamidoborane(2-ethyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub> zirconium dimethyl;

diisopropylamidoborane(2-n-propyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub> zirconium dimethyl;



Attorney Docket No.: 2003B043A

diisopropylamidoborane(2-iso-propyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;

diisopropylamidoborane(2-n-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;

diisopropylamidoborane(2-iso-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;

diisopropylamidoborane(2-sec-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;

diisopropylamidoborane(2-tert-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;

diisopropylamidoborane(2-ethyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;

diisopropylamidoborane(2-n-propyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;

diisopropylamidoborane(2-iso-propyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;

diisopropylamidoborane(2-n-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;

diisopropylamidoborane(2-iso-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;

diisopropylamidoborane(2-sec-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;

diisopropylamidoborane(2-tert-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;

diisopropylamidoborane(2-methyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;

diisopropylamidoborane(2-ethyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;

diisopropylamidoborane(2-n-propyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;

diisopropylamidoborane(2-iso-propyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;

diisopropylamidoborane(2-n-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;

diisopropylamidoborane(2-iso-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;

diisopropylamidoborane(2-sec-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;

diisopropylamidoborane(2-tert-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;

bis(trimethylsilyl)amidoborane(2-methyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>zirconium dichloride;

bis(trimethylsilyl)amidoborane(2-ethyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>zirconium dichloride;

bis(trimethylsilyl)amidoborane(2-n-propyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>zirconium dichloride;

bis(trimethylsilyl)amidoborane(2-iso-propyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>zirconium dichloride;

bis(trimethylsilyl)amidoborane(2-n-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>zirconium dichloride;

bis(trimethylsilyl)amidoborane(2-iso-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>zirconium dichloride;

bis(trimethylsilyl)amidoborane(2-sec-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>zirconium dichloride;

bis(trimethylsilyl)amidoborane(2-tert-butyl, 4-[3',5'-di-tbutylphenyl]indenyl)<sub>2</sub>zirconium dichloride;

bis(trimethylsilyl)amidoborane(2-ethyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dichloride;

bis(trimethylsilyl)amidoborane(2-n-propyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dichloride;

bis(trimethylsilyl)amidoborane(2-iso-propyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dichloride;

bis(trimethylsilyl)amidoborane(2-n-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dichloride;

Attorney Docket No.: 2003B043A

bis(trimethylsilyl)amidoborane(2-iso-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
bis(trimethylsilyl)amidoborane(2-sec-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
bis(trimethylsilyl)amidoborane(2-tert-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
bis(trimethylsilyl)amidoborane(2-ethyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
bis(trimethylsilyl)amidoborane(2-n-propyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
bis(trimethylsilyl)amidoborane(2-iso-propyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
bis(trimethylsilyl)amidoborane(2-n-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
bis(trimethylsilyl)amidoborane(2-iso-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
bis(trimethylsilyl)amidoborane(2-sec-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
bis(trimethylsilyl)amidoborane(2-tert-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
bis(trimethylsilyl)amidoborane(2-methyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
bis(trimethylsilyl)amidoborane(2-ethyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
bis(trimethylsilyl)amidoborane(2-n-propyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
bis(trimethylsilyl)amidoborane(2-iso-propyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
bis(trimethylsilyl)amidoborane(2-n-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
bis(trimethylsilyl)amidoborane(2-iso-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
bis(trimethylsilyl)amidoborane(2-sec-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
bis(trimethylsilyl)amidoborane(2-tert-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dichloride;  
bis(trimethylsilyl)amidoborane(2-methyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>  $\eta^4$ -1,4-diphenyl-1,3-butadiene;  
bis(trimethylsilyl)amidoborane(2-ethyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>  $\eta^4$ -1,4-diphenyl-1,3-butadiene;  
bis(trimethylsilyl)amidoborane(2-n-propyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>  $\eta^4$ -1,4-diphenyl-1,3-butadiene;  
bis(trimethylsilyl)amidoborane(2-iso-propyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>  $\eta^4$ -1,4-diphenyl-1,3-butadiene;  
bis(trimethylsilyl)amidoborane(2-n-butyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>  $\eta^4$ -1,4-diphenyl-1,3-butadiene;

Attorney Docket No.: 2003B043A

bis(trimethylsilyl)amidoborane(2-iso-butyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

bis(trimethylsilyl)amidoborane(2-sec-butyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

bis(trimethylsilyl)amidoborane(2-tert-butyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

bis(trimethylsilyl)amidoborane(2-ethyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

bis(trimethylsilyl)amidoborane(2-n-propyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

bis(trimethylsilyl)amidoborane(2-iso-propyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

bis(trimethylsilyl)amidoborane(2-n-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

bis(trimethylsilyl)amidoborane(2-iso-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

bis(trimethylsilyl)amidoborane(2-sec-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

bis(trimethylsilyl)amidoborane(2-tert-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

bis(trimethylsilyl)amidoborane(2-ethyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

bis(trimethylsilyl)amidoborane(2-n-propyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

bis(trimethylsilyl)amidoborane(2-iso-propyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

bis(trimethylsilyl)amidoborane(2-n-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

bis(trimethylsilyl)amidoborane(2-iso-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

bis(trimethylsilyl)amidoborane(2-sec-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

bis(trimethylsilyl)amidoborane(2-tert-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub> η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

Attorney Docket No.: 2003B043A

bis(trimethylsilyl)amidoborane(2-methyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

bis(trimethylsilyl)amidoborane(2-ethyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

bis(trimethylsilyl)amidoborane(2-n-propyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

bis(trimethylsilyl)amidoborane(2-iso-propyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

bis(trimethylsilyl)amidoborane(2-n-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

bis(trimethylsilyl)amidoborane(2-iso-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

bis(trimethylsilyl)amidoborane(2-sec-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

bis(trimethylsilyl)amidoborane(2-tert-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>η<sup>4</sup>-1,4-diphenyl-1,3-butadiene;

bis(trimethylsilyl)amidoborane(2-methyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;

bis(trimethylsilyl)amidoborane(2-ethyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;

bis(trimethylsilyl)amidoborane(2-n-propyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;

bis(trimethylsilyl)amidoborane(2-iso-propyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;

bis(trimethylsilyl)amidoborane(2-n-butyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;

bis(trimethylsilyl)amidoborane(2-iso-butyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;

bis(trimethylsilyl)amidoborane(2-sec-butyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;

bis(trimethylsilyl)amidoborane(2-tert-butyl, 4-[3',5'-di-*t*-butylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;

bis(trimethylsilyl)amidoborane(2-ethyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;

bis(trimethylsilyl)amidoborane(2-n-propyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;

bis(trimethylsilyl)amidoborane(2-iso-propyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;

bis(trimethylsilyl)amidoborane(2-n-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;

bis(trimethylsilyl)amidoborane(2-iso-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;

bis(trimethylsilyl)amidoborane(2-sec-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;

Attorney Docket No.: 2003B043A

bis(trimethylsilyl)amidoborane(2-tert-butyl, 4-[3',5'-bis-trifluoromethylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
bis(trimethylsilyl)amidoborane(2-ethyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
bis(trimethylsilyl)amidoborane(2-n-propyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
bis(trimethylsilyl)amidoborane(2-iso-propyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
bis(trimethylsilyl)amidoborane(2-n-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
bis(trimethylsilyl)amidoborane(2-iso-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
bis(trimethylsilyl)amidoborane(2-sec-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
bis(trimethylsilyl)amidoborane(2-tert-butyl, 4-[3',5'-di-iso-propylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
bis(trimethylsilyl)amidoborane(2-methyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
bis(trimethylsilyl)amidoborane(2-ethyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
bis(trimethylsilyl)amidoborane(2-n-propyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
bis(trimethylsilyl)amidoborane(2-iso-propyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
bis(trimethylsilyl)amidoborane(2-n-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
bis(trimethylsilyl)amidoborane(2-iso-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dimethyl;  
bis(trimethylsilyl)amidoborane(2-sec-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dimethyl; or  
bis(trimethylsilyl)amidoborane(2-tert-butyl, 4-[3',5'-di-phenylphenyl]indenyl)<sub>2</sub>zirconium dimethyl.

51. (original) The process of claim 1 wherein the first catalyst component is also present in the second reaction zone.
52. (original) The process of claim 1 wherein one catalyst component is present in at least one reaction zone and the other catalyst component is present in the second reaction zone.
53. (original) The process of claim 1 wherein 3% or more of the combined catalyst components is not injected into the first reaction zone.
54. (original) The process of claim 1 wherein hydrogen is introduced into a reaction zone.
55. (original) The process of claim 1 wherein the temperature is different in the reaction zones.
56. (original) The process of claim 1 wherein the temperature in a reaction zone is varied.

Attorney Docket No.: 2003B043A

57. (new) A process for producing a branched olefin polymer comprising:
- a) steps for producing a polymer having a weight average molecular weight of 100,000 or less and a crystallinity of 20% or less;
  - b) steps for producing a polymer having a weight average molecular weight of 100,000 or less and a crystallinity of 20% or more;
  - c) recovering a branched olefin polymer comprising at least 50 mole% of one or more C<sub>3</sub> to C<sub>40</sub> olefins.

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**